



NEVO

VAPOR TIGHT LIGHT (2' / 4') (CCT & POWER SELECTABLE)

IKIO's Nevo Vapor Tight Light is engineered to deliver maximum brightness and durability in challenging, dust-filled, and moisture-prone environments, such as parking garages, factories, and loading docks. With its robust housing and efficient heat sink, this luminaire can last for a long time and serves as an ideal alternative to traditional lights. It also helps reduce energy consumption and maintenance costs.

Applications: Workshops, Warehouses, Parking Lots, Hallways

FEATURES

- **Designed for energy efficiency**, the luminaire is very durable, has a long lifespan, and offers great savings.
- **Provides high efficacy and uniform lighting** that enhances visual comfort and is also safe for the eyes.
- **Comes with CCT and power select capability**, allowing better control to the user.
- **Instant start** without the nuisance of flickering or humming.
- Dimming capable and can be used in **wet locations (IP65 rating)**.

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed are DLC® qualified. Visit www.designlights.org/search to confirm qualification. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.

PRODUCT ORDERING DETAILS

NEVO VAPOR TIGHT LIGHT

SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
662187487793	NEVO VAPOR TIGHT LIGHT: 2FT / 15-20-25 W / 2250-3000-3750 LM / 30-40-50 K / 100-277 V / GRAY		150 lm/W	View / Download
662187487786	NEVO VAPOR TIGHT LIGHT: 4FT / 20-30-40 W / 3000-4500-6000 LM / 30-40-50 K / 100-277 V / GRAY		150 lm/W	View / Download

ACCESSORIES

SOLD SEPARATELY

SKU NUMBER	PRODUCT CODE	DESCRIPTION	SPEC SHEET
662187482835	IK-LLB08-EMB-8W	EMERGENCY LED DRIVER	View / Download

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed are DLC® qualified. Visit www.designlights.org/search to confirm qualification. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.