



5 Year Warranty



Not all product variations listed on this page are DLC qualified. Visit <https://www.designlights.org/qpl> to confirm qualification.

T8 TUBE

TYPE A&B

IKIO's T8 Tube Type A&B is uniquely designed to be compatible with your existing ballast, or it can be directly wired to the mains as well. It has a perfectly uniform visual appearance, making it an ideal replacement for old T8 fluorescent lights. Its solid construction is supported by a selectively sourced internal driver, allowing for super-efficient and long-lasting performance. This is the tube light to choose if you need high-luminance illumination while keeping energy bills and maintenance costs extremely low. Upgrade your old tube lights in a hassle-free and swift manner with our T8 tube lights!

Applications: Offices, Schools, Hospitals, Retail Stores, Lobbies, General Areas, Residential Spaces

FEATURES

- **Compatible with existing ballasts or can be wired directly to the mains to run on line voltage;** supports both single-ended and double-ended configurations.
- **Designed for high efficacy,** it delivers uniform and flicker-free lighting, reducing both energy and maintenance costs.
- **Easy to install and replace,** it is perfect for the retrofitting existing traditional tubes.
- Made of selectively sourced, premium components, **the tube ensures durability and lasting performance.**
- **Suitable for use in both dry and damp locations.**

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed are DLC® qualified. Visit www.designlights.org/search to confirm qualification. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.

PRODUCT ORDERING DETAILS

T8 TUBE TYPE A&B - 4FT - 14W - FROSTED

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
14 W	662187533247	T8 TUBE TYPE A&B : 4FT / 14 W / 1806 LM / 3000 K / 100-277 V / WHITE	•	129 lm/W	View / Download
14 W	662187475509	T8 TUBE TYPE A&B : 4FT / 14 W / 1806 LM / 3500 K / 100-277 V / WHITE	•	129 lm/W	View / Download
14 W	662187533254	T8 TUBE TYPE A&B : 4FT / 14 W / 1806 LM / 4000 K / 100-277 V / WHITE	•	129 lm/W	View / Download
14 W	662187481067	T8 TUBE TYPE A&B : 4FT / 14 W / 1806 LM / 4500 K / 100-277 V / WHITE	•	129 lm/W	View / Download
14 W	662187547763	T8 TUBE TYPE A&B : 4FT / 14 W / 1806 LM / 5000 K / 100-277 V / WHITE	•	129 lm/W	View / Download
14 W	662187481081	T8 TUBE TYPE A&B : 4FT / 14 W / 1806 LM / 6500 K / 100-277 V / WHITE	•	129 lm/W	View / Download

T8 TUBE TYPE A&B - 4FT - 14W - CLEAR

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
14 W	662187533261	T8 TUBE TYPE A&B : 4FT / 14 W / 2100 LM / 3000 K / 100-277 V / WHITE	•	150 lm/W	View / Download
14 W	662187548388	T8 TUBE TYPE A&B : 4FT / 14 W / 2100 LM / 3500 K / 100-277 V / WHITE	•	150 lm/W	View / Download
14 W	662187548081	T8 TUBE TYPE A&B : 4FT / 14 W / 2100 LM / 4000 K / 100-277 V / WHITE	•	150 lm/W	View / Download
14 W	662187481050	T8 TUBE TYPE A&B : 4FT / 14 W / 2100 LM / 4500 K / 100-277 V / WHITE	•	150 lm/W	View / Download
14 W	662187553740	T8 TUBE TYPE A&B : 4FT / 14 W / 2100 LM / 5000 K / 100-277 V / WHITE	•	150 lm/W	View / Download
14 W	662187481074	T8 TUBE TYPE A&B : 4FT / 14 W / 2100 LM / 6500 K / 100-277 V / WHITE	•	150 lm/W	View / Download

T8 TUBE TYPE A&B - 4FT - 17W - FROSTED

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
17 W	662187465203	T8 TUBE TYPE A&B : 4FT / 17 W / 2176 LM / 3000 K / 100-277 V / WHITE	•	128 lm/W	View / Download
17 W	662187465210	T8 TUBE TYPE A&B : 4FT / 17 W / 2176 LM / 3500 K / 100-277 V / WHITE	•	128 lm/W	View / Download
17 W	662187465227	T8 TUBE TYPE A&B : 4FT / 17 W / 2176 LM / 4000 K / 100-277 V / WHITE	•	128 lm/W	View / Download
17 W	662187481104	T8 TUBE TYPE A&B : 4FT / 17 W / 2176 LM / 4500 K / 100-277 V / WHITE	•	128 lm/W	View / Download
17 W	662187465197	T8 TUBE TYPE A&B : 4FT / 17 W / 2176 LM / 5000 K / 100-277 V / WHITE	•	128 lm/W	View / Download
17 W	662187481135	T8 TUBE TYPE A&B : 4FT / 17 W / 2176 LM / 6500 K / 100-277 V / WHITE	•	128 lm/W	View / Download

T8 TUBE TYPE A&B - 4FT - 17W - CLEAR

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
17 W	662187465166	T8 TUBE TYPE A&B : 4FT / 17 W / 2550 LM / 3000 K / 100-277 V / WHITE	•	150 lm/W	View / Download
17 W	662187465173	T8 TUBE TYPE A&B : 4FT / 17 W / 2550 LM / 3500 K / 100-277 V / WHITE	•	150 lm/W	View / Download
17 W	662187465180	T8 TUBE TYPE A&B : 4FT / 17 W / 2550 LM / 4000 K / 100-277 V / WHITE	•	150 lm/W	View / Download
17 W	662187481098	T8 TUBE TYPE A&B : 4FT / 17 W / 2550 LM / 4500 K / 100-277 V / WHITE	•	150 lm/W	View / Download
17 W	662187465234	T8 TUBE TYPE A&B : 4FT / 17 W / 2550 LM / 5000 K / 100-277 V / WHITE	•	150 lm/W	View / Download
17 W	662187481111	T8 TUBE TYPE A&B : 4FT / 17 W / 2550 LM / 6500 K / 100-277 V / WHITE	•	150 lm/W	View / Download

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed are DLC® qualified. Visit www.designlights.org/search to confirm qualification. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.

PRODUCT ORDERING DETAILS

T8 TUBE TYPE A&B - 4FT - 20W - FROSTED

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
20 W	662187465296	T8 TUBE TYPE A&B : 4FT / 20 W / 2700 LM / 3000 K / 100-277 V / WHITE	•	135 lm/W	View / Download
20 W	662187465302	T8 TUBE TYPE A&B : 4FT / 20 W / 2700 LM / 3500 K / 100-277 V / WHITE	•	135 lm/W	View / Download
20 W	662187465319	T8 TUBE TYPE A&B : 4FT / 20 W / 2700 LM / 4000 K / 100-277 V / WHITE	•	135 lm/W	View / Download
20 W	662187481159	T8 TUBE TYPE A&B : 4FT / 20 W / 2700 LM / 4500 K / 100-277 V / WHITE	•	135 lm/W	View / Download
20 W	662187465326	T8 TUBE TYPE A&B : 4FT / 20 W / 2700 LM / 5000 K / 100-277 V / WHITE	•	135 lm/W	View / Download
20 W	662187481173	T8 TUBE TYPE A&B : 4FT / 20 W / 2700 LM / 6500 K / 100-277 V / WHITE	•	135 lm/W	View / Download

T8 TUBE TYPE A&B - 4FT - 20W - CLEAR

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
20 W	662187465241	T8 TUBE TYPE A&B : 4FT / 20 W / 3000 LM / 3000 K / 100-277 V / WHITE	•	150 lm/W	View / Download
20 W	662187465258	T8 TUBE TYPE A&B : 4FT / 20 W / 3000 LM / 3500 K / 100-277 V / WHITE	•	150 lm/W	View / Download
20 W	662187465265	T8 TUBE TYPE A&B : 4FT / 20 W / 3000 LM / 4000 K / 100-277 V / WHITE	•	150 lm/W	View / Download
20 W	662187481142	T8 TUBE TYPE A&B : 4FT / 20 W / 3000 LM / 4500 K / 100-277 V / WHITE	•	150 lm/W	View / Download
20 W	662187465272	T8 TUBE TYPE A&B : 4FT / 20 W / 3000 LM / 5000 K / 100-277 V / WHITE	•	150 lm/W	View / Download
20 W	662187481166	T8 TUBE TYPE A&B : 4FT / 20 W / 3000 LM / 6500 K / 100-277 V / WHITE	•	150 lm/W	View / Download

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed are DLC® qualified. Visit www.designlights.org/search to confirm qualification. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.